

Rocky and the Rollers Stage Plot 10/19






Live monitor mix (15") 8X8 drum riser

Bass DI for bass Wireless mic on boom stand Drop an XLR line for his in ear monitor by his amp.

Guitar

Wireless vocal on boom stand Drop an XLR line for his in ear monitor by his guitar amp

Lead vocal Wireless mic on straight stand Sax Flute Trumpet Trombone 2 wireless vocal mics on boom stands 1 boom stand for trumpet shield 3 wireless clip on horn mics Live mix with 2 monitors





RIDER TO BE SUPPLIED AT NO ADDITIONAL COST TO ARTIST. RIDER IS MADE PART OF THE CONTRACT AND CANNOT BE ALTERED EXCEPT IN WRITING BY ARTIST. PAGE 1 OF 2

1. FOOD - AT SOUND CHECK, REHEARSAL AND SHOWTIME THE FOLLOWING ITEMS ARE TO BE PLACED FOR ARTISTS BY STAGE:

- A. DELI TRAY FOR (10) PEOPLE WITH BREAD & CONDIMENTS
- **B.** FRUIT TRAY FOR (10) PEOPLE
- C. 24 BOTTLES OF WATER
- D. 12 ASSORTED SODA
- E. 2 LARGE POTS OF COFFEE
- F. ICE & CUPS
- G. 10 TOWELS FOR STAGE AT SHOW TIME
- H. DINNER FOR (10) PEOPLE AT ARTISTS REQUEST. MUST BE HOT FOOD. NO FAST FOOD.
- 2. STAGE Purchaser will provide at no cost to artist a 28ft. deep x 24 ft. width stage at least 24 inches high. 1- 8x8 carpeted riser and 1 8x12 carpeted riser.
- **3.** ELECRICAL POWER Purchaser to provide at no cost to artist 8 separate 20 amp electrical outlets within 2 feet of stage for artist to use for duration of soundcheck and show performance.

AGREED AND ACCEPTED:

ROCKY PRODUCTIONS INC. _____

DATE____

AGREED AND ACCEPTED:

PURCHASER_____

DATE_____



Entertainment Consultants/Show Productions Phone - 352-603-3152 Email - rockyseader @ aol.com

ROCKY & THE ROLLERS

RIDER REQUIREMENTS

RIDER TO BE SUPPLIED AT NO ADDITIONAL COST TO ARTIST. RIDER IS MADE PART OF THE CONTRACT AND CANNOT BE ALTERED EXCEPT IN WRITING BY ARTIST.

SOUND SYSTEM, MONITOR SYSTEM AND LIGHTING (NO PEAVEY!!!!)

- A. SOUND SYSTEM AND MONITOR SYSTEM MUST BE PROFESSIONAL QUALITY 3 WAY TRI AMPLIFIED SYSTEM WITH OPERATORS FOR HOUSE AND MONITORS. HOUSE SYSTEM MUST BE ADEQUATE TO COVER ROOM WITHOUT DISTORTION. ONE LIGHTING OPERATOR.
- B. ALL EQUIPMENT MIKED PROPERLY TO ARTISTS SATISFACTION.
- C. VOCALS (7) SURE BETA 58 WIRELESS MICROPHONES ON 6 BOOM STANDS. 3 – ROUND BOTTOM STRAIT STAND. 3 SURE WIRELESS CLIP ON MICROPHONES FOR TRUMPET – SAX AND TROMPONE PLAYERS.
- D. WIRELESS VOCAL MICROPHONE FOR TROMBONE PLAYER
- E. MONITORS MUST BE AT 8 FLOOR WEDGES -15 IN SPEAKER WITH 2 INCH HORN WITH MINIMUM 6 SEPARATE MIXES. PLUS 2 SIDE FILLS.
- F. STAGE LIGHTING MUST BE AT LEAST 36 1000 WATT PAR CANS WITH ASSORTED COLORS. ONE FOLLOW SPOT WITH OPERATOR.